ELSEVIER

Biomembranes

Vol. 1235, 1995

BBA Biochimica et Biophysica Acta

Author Index

Abe, K., see Yasuoka, A. (1235) 467
Acuña, A.U., see Vélez, M. (1235) 343
Allietta, M., see Palestini, P. (1235) 221
Almgren, M., see Gustafsson, J. (1235) 305
Antonenko, Y.N. and Pohl, P.
Steady-state nonmonotonic concentration profiles in the unstirred layers of bilayer lipid membranes (1235) 57
Arai, S., see Yasuoka, A. (1235) 467
Arvidson, G., see Gustafsson, J. (1235) 305

Barisas, B.G., see Philpott, C.J. (1235) 62
Barrabin, H., see Fontes, C.F.L. (1235) 43
Báthori, G., see Szabó, I. (1235) 115
Beaujean, V., see Devuyst, O. (1235) 443
Benachir, T. and Lafleur, M.
Study of vesicle leakage induced by melittin (1235) 452
Benz, R., see Klotz, K.-H. (1235) 378
Bermudez, M., see Mercadal, M. (1235) 281
Berthault, P., see Bondon, A. (1235) 169
Bigelow, D.J., see Krainev, A.G. (1235) 406
Bondon, A., Berthault, P., Segalas, I., Perly, B. and Wróblewski, H.
Solution structure determination by NMR spectroscopy of a synthetic peptide corresponding to a putative amphipathic α-helix of spiralin: resonance assignment, distance geometry and simulated annealing (1235) 169
Boyer, N., see Mathieu, C. (1235) 249
Brenner, C., Duclohier, H., Krchňák, V. and Wróblewski, H.
Conformation, pore-forming activity, and antigenicity of synthetic peptide analogues of a spiralin putative amphipathic α helix (1235) 161
Bruckheimer, E.M., Gillum, K.D. and Schroit, A.J.
Colocalization of Rh polypeptides and the aminophospholipid transporter in dilauroylphosphatidylcholine-induced erythrocyte vesicles (1235) 147

Cain, T.J., Liu, Y., Takizawa, T. and Robinson, J.M.
Solubilization of glycosyl-phosphatidylinositol-anchored proteins in quiescent and stimulated neutrophils (1235) 69
Calderón, V., see Cerbón, J. (1235) 100
Cano, M., see Ferrero, M.I. (1235) 313
Castaing, M., see Loiseau, A. (1235) 21
Cerbón, J. and Calderón, V.
Generation, modulation and maintenance of the plasma membrane asymmetric phospholipid composition in yeast cells during growth: their relation to surface potential and membrane protein activity (1235) 100
Chou, H.-F., see Koetters, P.J. (1235) 79
Cola, C., see Szabó, I. (1235) 115
Collins, D., see Wrobel, I. (1235) 296
Colom, A., see Lasalde, J.A. (1235) 361
Cornelius, F.
Cholesterol modulation of molecular activity of reconstituted shark Na^+,K^+-ATPase (1235) 205
Cornelius, F.
Hydrophobic ion interaction on Na^+ activation and dephosphorylation of reconstituted Na^+,K^+-ATPase (1235) 183
Cornelius, F.
Phosphorylation/dephosphorylation of reconstituted shark Na^+,K^+-ATPase: one phosphorylation site per $\alpha\beta$ protomer (1235) 197
Crabbé, J., see Devuyst, O. (1235) 443

De Jong, W.H., see Nässander, U.K. (1235) 126
De Madariaga, M.A., see Mercadal, M. (1235) 281
Dentino, A.R., Westerman, P.W. and Yeagle, P.L.
A study of carbobenzoxy-D-phenylalanine-L-phenylalanine-glycine, an inhibitor of membrane fusion, in phospholipid bilayers with multinuclear magnetic resonance (1235) 213
Devuyst, O., Beaujean, V. and Crabbé, J.
Aldosterone interaction on sodium transport and chloride permeability: influence of epithelial structure (1235) 443
Domingo, J.C., see Mercadal, M. (1235) 281
Dubbelman, T.M.A.R., see Lagerberg, J.W.M. (1235) 428
Dubovskii, P., see Lurie, E. (1235) 256
Duclohier, H., see Brenner, C. (1235) 161

Emori, Y., see Yasuoka, A. (1235) 467

Farhood, H., Serbina, N. and Huang, L.
The role of dioleoyl phosphatidylethanolamine in cationic liposome mediated gene transfer (1235) 289
Fei, Y.-J., see Liu, W. (1235) 461
Ferrero, M.I., Cano, M. and Ilundáin, A.
Na^+-H^+ exchange activity in brush-border membrane vesicles isolated from chick small intestine (1235) 313
Ferrington, D.A., see Krainev, A.G. (1235) 406
Flyvbjerg, A., see Jacobsen, C. (1235) 85
Fontes, C.F.L., Scofano, H.M., Barrabin, H. and Nørby, J.G.
The effect of dimethylsulfoxide on the substrate site of Na^+/K^+-ATPase studied through phosphorylation by inorganic phosphate and ouabain binding (1235) 43

Ganapathy, M.E., see Liu, W. (1235) 461
Ganapathy, V., see Jayanthi, L.D. (1235) 351
Ganapathy, V., see Liu, W. (1235) 461
Gervais, P. and Martinez de Marañon, I.
Effect of the kinetics of temperature variation on *Saccharomyces cerevisiae* viability and permeability (1235) 52
Gillum, K.D., see Bruckheimer, E.M. (1235) 147
González-Rodríguez, J., see Vélez, M. (1235) 343
Grainger, D.W., see Maloney, K.M. (1235) 395
Grandbois, M., see Maloney, K.M. (1235) 395
Grant, C.W.M., see Morrow, M.R. (1235) 239
Gustafsson, J., Arvidson, G., Karlsson, G. and Almgren, M.
Complexes between cationic liposomes and DNA visualized by cryo-TEM (1235) 305

Haest, C.W.M., see Lagerberg, J.W.M. (1235) 428
Hartmann, M.-A., see Mathieu, C. (1235) 249
Hediger, M.A., see Liu, W. (1235) 461
Hill, M., see Loiseau, A. (1235) 21
Huang, L., see Farhood, H. (1235) 289

Iimori, Y., see Saito, M. (1235) 178
Ilundáin, A., see Ferrero, M.I. (1235) 313
Inomata, M. and Kawashima, S.
The possible self-down-regulation of calpain triggered by cell membranes (1235) 107

Jacobsen, C., Jessen, H. and Flyvbjerg, A.
IGF-II receptors in luminal and basolateral membranes isolated from pars convoluta and pars recta of rabbit proximal tubule (1235) 85
Jap, P.H.K., see Nässander, U.K. (1235) 126
Jayanthi, L.D., Ramamoorthy, S., Mahesh, V.B., Leibach, F.H. and Ganapathy, V.
Substrate-specific regulation of the taurine transporter in human placental choriocarcinoma cells (JAR) (1235) 351
Jessen, H., see Jacobsen, C. (1235) 85
Jonas, A.J., see Koetters, P.J. (1235) 79

Kallen, K.-J., see Lagerberg, J.W.M. (1235) 428
Kamoshita, S., see Saito, M. (1235) 178
Kaplun, A., see Lurie, E. (1235) 256
Karlsson, G., see Gustafsson, J. (1235) 305
Kawashima, S., see Inomata, M. (1235) 107
Kenny, N., see Philpott, C.J. (1235) 62
Klotz, K.-H. and Benz, R.
Shape of the potential energy barrier of the iodine-mediated halide transport (1235) 378
Koetters, P.J., Chou, H.-F. and Jonas, A.J.
Lysosomal sulfate transport: inhibitor studies (1235) 79
Kolesnik, O.I., see Krupenko, S.A. (1235) 387
Komatsu, H. and Okada, S.
Ethanol-induced aggregation and fusion of small phosphatidylcholine liposome: participation of interdigitated membrane formation in their processes (1235) 270
Kombrabail, M.H., see Prabhananda, B.S. (1235) 323
Krainev, A.G., Ferrington, D.A., Williams, T.D., Squier, T.C. and Bigelow, D.J.
Adaptive changes in lipid composition of skeletal sarcoplasmic reticulum membranes associated with aging (1235) 406
Krchňák, V., see Brenner, C. (1235) 161
Krupenko, N.I., see Krupenko, S.A. (1235) 387
Krupenko, S.A., Kolesnik, O.I., Krupenko, N.I. and Strel'chyonok, O.A.
Organization of the transcortin-binding domain on placental plasma membranes (1235) 387
Küpcü, S., Sára, M. and Sleytr, U.B.
Liposomes coated with crystalline bacterial cell surface protein (S-layer) as immobilization structures for macromolecules (1235) 263
Kurrle, R., see Szamel, M. (1235) 33

Lafleur, M., see Benachir, T. (1235) 452
Lagerberg, J.W.M., Kallen, K.-J., Haest, C.W.M., VanSteveninck, J. and Dubbelman, T.M.A.R.
Factors affecting the amount and the mode of merocyanine 540 binding to the membrane of human erythrocytes. A comparison with the binding to leukemia cells (1235) 428
Lahajnar, G., Maček, P., Šmid, P. and Zupančič, I.
Ethanol- and acetonitrile-induced inhibition of water diffusional permeability across bovine red blood cell membrane (1235) 437
Lasalde, J.A., Colom, A., Resto, E. and Zuazaga, C.
Heterogeneous distribution of acetylcholine receptors in chick myocytes induced by cholesterol enrichment (1235) 361
Leibach, F.H., see Jayanthi, L.D. (1235) 351
Leibach, F.H., see Liu, W. (1235) 461
Leufgen, H., see Szamel, M. (1235) 33
Lewis, K.A., see Maloney, K.M. (1235) 395
Liang, R., see Liu, W. (1235) 461
Lillo, M.P., see Vélez, M. (1235) 343
Liu, D., Liu, F. and Song, Y.K.
Recognition and clearance of liposomes containing phosphatidylserine are mediated by serum opsonin (1235) 140
Liu, F., see Liu, D. (1235) 140
Liu, W., Liang, R., Ramamoorthy, S., Fei, Y.-J., Ganapathy, M.E., Hediger, M.A., Ganapathy, V. and Leibach, F.H.
Molecular cloning of PEPT 2, a new member of the H^+/peptide cotransporter family, from human kidney (1235) 461
Liu, Y., see Cain, T.J. (1235) 69
Loiseau, A., Hill, M., Mulliert, G. and Castaing, M.
Na/K competitive transport selectivity of (221)C_{10}-cryptand: effects of pH and carrier concentration (1235) 21
Londo, T.R., see Philpott, C.J. (1235) 62
Lurie, E., Kaplun, A., Vassilenko, I., Dubovskii, P. and Shvets, V.
Interaction of *N*-(2-hydroxybenzyl)-ω-amino carbonic acids, novel amphipathic fatty acid derivatives, with membrane: partition coefficients (1235) 256

Maček, P., see Lahajnar, G. (1235) 437
Mahesh, V.B., see Jayanthi, L.D. (1235) 351
Maloney, K.M., Grandbois, M., Grainger, D.W., Salesse, C., Lewis, K.A. and Roberts, M.F.
Phospholipase A_2 domain formation in hydrolyzed asymmetric phospholipid monolayers at the air/water interface (1235) 395
Martinez de Marañon, I., see Gervais, P. (1235) 52
Mathieu, C., Motta, C., Hartmann, M.-A., Thonat, C. and Boyer, N.
Changes in plasma membrane fluidity of *Bryonia dioica* internodes during thigmomorphogenesis (1235) 249
McCarthy, M.P., see Moore, M.A. (1235) 336
Mehta, N.G., see Pestonjamasp, K.N. (1235) 10
Mercadal, M., Domingo, J.C., Bermudez, M., Mora, M. and De Madariaga, M.A.
N-Palmitoylphosphatidylethanolamine stabilizes liposomes in the presence of human serum: effect of lipidic composition and system characterization (1235) 281
Moore, M.A. and McCarthy, M.P.
Snake venom toxins, unlike smaller antagonists, appear to stabilize a resting state conformation of the nicotinic acetylcholine receptor (1235) 336
Mora, M., see Mercadal, M. (1235) 281
Morrow, M.R., Singh, D. and Grant, C.W.M.
Glycosphingolipid acyl chain order profiles: substituent effects (1235) 239
Motta, C., see Mathieu, C. (1235) 249
Mulliert, G., see Loiseau, A. (1235) 21
Munck, B.G., see Munck, L.K. (1235) 93
Munck, L.K. and Munck, B.G.
Transport of glycine and lysine on the chloride-dependent β-alanine ($B^{0,+}$) carrier in rabbit small intestine (1235) 93

Nagaraj, R., see Saberwal, G. (1235) 159
Nässander, U.K., Steerenberg, P.A., De Jong, W.H., Van Overveld, W.O.W.M., Te Boekhorst, C.M.E., Poels, L.G., Jap, P.H.K. and Storm, G.
Design of immunoliposomes directed against human ovarian carcinoma (1235) 126
Nørby, J.G., see Fontes, C.F.L. (1235) 43

Okada, S., see Komatsu, H. (1235) 270

Palestini, P., Allietta, M., Sonnino, S., Tettamanti, G., Thompson, T.E. and Tillack, T.W.
Gel phase preference of ganglioside GM1 at low concentration in two-component, two-phase phosphatidylcholine bilayers depends upon the ceramide moiety (1235) 221
Patelaros, S.V., see Rudenko, S.V. (1235) 1

Pehowich, D.J.
Hypothyroid state and membrane fatty acid composition influence cardiac mitochondrial pyruvate oxidation (1235) 231
Perly, B., see Bondon, A. (1235) 169
Pestonjamasp, K.N. and Mehta, N.G.
Neutral polymers elicit, and antibodies to spectrin, band 4.1 protein and cytoplasmic domain of band 3 protein inhibit the concanavalin A-mediated agglutination of human erythrocytes (1235) 10
Philpott, C.J., Rahman, N.A., Kenny, N., Londo, T.R., Young, R.M., Barisas, B.G. and Roess, D.A.
Rotational dynamics of luteinizing hormone receptors and MHC Class I antigens on murine Leydig cells (1235) 62
Poels, L.G., see Nässander, U.K. (1235) 126
Pohl, P., see Antonenko, Y.N. (1235) 57
Prabhananda, B.S. and Kombrabail, M.H.
Enhancement of rates of H^+, Na^+ and K^+ transport across phospholipid vesicular membrane by the combined action of carbonyl cyanide *m*-chlorophenylhydrazone and valinomycin: temperature-jump studies (1235) 323

Rahman, N.A., see Philpott, C.J. (1235) 62
Ramamoorthy, S., see Jayanthi, L.D. (1235) 351
Ramamoorthy, S., see Liu, W. (1235) 461
Rega, A.F., see Romero, P.J. (1235) 155
Resch, K., see Szamel, M. (1235) 33
Resto, E., see Lasalde, J.A. (1235) 361
Roberts, M.F., see Maloney, K.M. (1235) 395
Robinson, J.M., see Cain, T.J. (1235) 69
Roess, D.A., see Philpott, C.J. (1235) 62
Romero, P.J. and Rega, A.F.
Effects of magnesium plus vanadate on partial reactions of the Ca^{2+}-ATPase from human red cell membranes (1235) 155
Rottem, S., see Salman, M. (1235) 369
Rudenko, S.V. and Patelaros, S.V.
Cation-sensitive pore formation in rehydrated erythrocytes (1235) 1

Saberwal, G. and Nagaraj, R.
Corrigendum to "Cell-lytic and antibacterial peptides that act by perturbing the barrier function of membranes: facets of their conformational features, structure–function correlations and membrane-perturbing abilities" [Biochim. Biophys. Acta 1197 (1994) 109–131] (1235) 159
Saigo, K., see Yasuoka, A. (1235) 467
Saito, M., Iimori, Y., Kamoshita, S., Yanagisawa, M. and Sakakihara, Y.
Effects of peroxisomal β-oxidation antagonist on 2′,3′-cyclic-nucleotide 3′-phosphohydrolase, membrane lipid compositions, and membrane fluidity in C-6 glial cells (1235) 178
Sakakihara, Y., see Saito, M. (1235) 178
Salesse, C., see Maloney, K.M. (1235) 395
Salman, M. and Rottem, S.
The cell membrane of *Mycoplasma penetrans*: lipid composition and phospholipase A_1 activity (1235) 369
Sára, M., see Küpcü, S. (1235) 263
Schroit, A.J., see Bruckheimer, E.M. (1235) 147
Scofano, H.M., see Fontes, C.F.L. (1235) 43
Segalas, I., see Bondon, A. (1235) 169
Serbina, N., see Farhood, H. (1235) 289
Shvets, V., see Lurie, E. (1235) 256
Singh, D., see Morrow, M.R. (1235) 239
Sleytr, U.B., see Küpcü, S. (1235) 263
Slotte, J.P.
Lateral domain formation in mixed monolayers containing cholesterol and dipalmitoylphosphatidylcholine or *N*-palmitoylsphingomyelin (1235) 419
Šmid, P., see Lahajnar, G. (1235) 437
Song, Y.K., see Liu, D. (1235) 140
Sonnino, S., see Palestini, P. (1235) 221
Squier, T.C., see Krainev, A.G. (1235) 406
Starc, T., see Szabó, I. (1235) 115
Steerenberg, P.A., see Nässander, U.K. (1235) 126
Storm, G., see Nässander, U.K. (1235) 126
Strel'chyonok, O.A., see Krupenko, S.A. (1235) 387
Szabó, I., Báthori, G., Wolff, D., Starc, T., Cola, C. and Zoratti, M.
The high-conductance channel of porin-less yeast mitochondria (1235) 115
Szamel, M., Leufgen, H., Kurrle, R. and Resch, K.
Differential signal transduction pathways regulating interleukin-2 synthesis and interleukin-2 receptor expression in stimulated human lymphocytes (1235) 33

Takizawa, T., see Cain, T.J. (1235) 69
Te Boekhorst, C.M.E., see Nässander, U.K. (1235) 126
Tettamanti, G., see Palestini, P. (1235) 221
Thomas, T.H., West, I.C. and Wilkinson, R.
Modification of erythrocyte Na^+/Li^+ countertransport kinetics by two types of thiol group (1235) 317
Thompson, T.E., see Palestini, P. (1235) 221
Thonat, C., see Mathieu, C. (1235) 249
Tillack, T.W., see Palestini, P. (1235) 221

Van Overveld, W.O.W.M., see Nässander, U.K. (1235) 126
VanSteveninck, J., see Lagerberg, J.W.M. (1235) 428
Vassilenko, I., see Lurie, E. (1235) 256
Vélez, M., Lillo, M.P., Acuña, A.U. and González-Rodríguez, J.
Cholesterol effect on the physical state of lipid multibilayers from the platelet plasma membrane by time-resolved fluorescence (1235) 343

West, I.C., see Thomas, T.H. (1235) 317
Westerman, P.W., see Dentino, A.R. (1235) 213
Wilkinson, R., see Thomas, T.H. (1235) 317
Williams, T.D., see Krainev, A.G. (1235) 406
Wolff, D., see Szabó, I. (1235) 115
Wrobel, I. and Collins, D.
Fusion of cationic liposomes with mammalian cells occurs after endocytosis (1235) 296
Wróblewski, H., see Bondon, A. (1235) 169
Wróblewski, H., see Brenner, C. (1235) 161

Yanagisawa, M., see Saito, M. (1235) 178
Yasuoka, A., Abe, K., Saigo, K., Arai, S. and Emori, Y.
Molecular cloning of a fish gene encoding a novel seven-transmembrane receptor related distantly to catecholamine, histamine, and serotonin receptors (1235) 467
Yeagle, P.L., see Dentino, A.R. (1235) 213
Young, R.M., see Philpott, C.J. (1235) 62

Zoratti, M., see Szabó, I. (1235) 115
Zuazaga, C., see Lasalde, J.A. (1235) 361
Zupančič, I., see Lahajnar, G. (1235) 437